




RP60

AUTOMATIC DOOR BOTTOM SEALS



An adjustable, automatic door bottom seal which is spring loaded to lift clear of the floor when the door is opened. Operated automatically by pressure against the door stop on its adjusting screw and incorporates concealed fixings. The RP60 is self levelling and can be used in conjunction with Raven threshold plates such as the RP13 and RP82.

FEATURES



Global GreenTag - Platinum

Global GreenTag^{CertTM} PlatinumHEALTHTM HealthRATETM

SPECIFICATIONS

Location

Face mounted on the bottom of single and double butt hinged doors.

Size/Length (Length can be cut back to)

915mm (450mm), 920mm (450mm)

Fixing

Face Mounted, Screw Fixed

Concealed screw fix. Zinc plated, cross recess head S.T. screws and cover strip supplied. Fixing holes are pre-slotted.

Product Sizes/Lengths: Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance

Min & Max Gap

3mm to 15mm

Replacement Seals[RP460](#)**Available Colours**Black Anodised, Bronze Anodised,
Gold Anodised, Silver Anodised**Material**

Aluminium

Door/Frame Construction

Timber

Door TypeSingle Inward Opening, Double
Inward OpeningAnodised aluminium with TPE
gasket.

Note: Architectural perimeter seal
and door bottom extrusions are
anodised 15µm and threshold
plates are anodised 25µm for
maximum durability. Black
aluminium is anodised 25µm to
40µm.

APPROVALS**Fire AUS/NZ**

AS 1530.4, AS 1905.1, NZBC C/AS2 4.16.2, NCC S12C2

Fire UK/EUApproved Document B, BS 476 Pt. 20 & 22 (similar to
BS EN 1634-1)**Fire Rating**

Up to FD240, Up to FRL & FRR-/60/30

Energy AUS/NZNCC J5D5, ABCB Housing Provisions Standard 2022
13.4.4**Durability**Tested to over 500,000 operating cycles without
failure**Insects & Vermin AUS/NZ**

AS 4674 Sect. 2.1.5 Pt. (iv), AS 4674 Sect. 2.1.7

Product Sizes/Lengths: Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance

VARIATIONS

Product Code	Colour	Length
R60B	Bronze Anodised	920mm (cut back to 450mm)
R60C	Silver Anodised	920mm (cut back to 450mm)
R60G	Gold Anodised	915mm (cut back to 450mm)
R60BK	Black Anodised	920mm (cut back to 450mm)

Product Sizes/Lengths: Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance